

---

# THE UNAPOLOGETIC ELEGANCE

---

**800X1600MM**

VELVET COLLECTION


**Velvet**  
Collection

# Elegance That Last For Eternity

**1200x  
1800mm**  
THICKNESS : 9/15mm

**800x  
1600mm**  
THICKNESS : 9mm

**600x  
1200mm**  
THICKNESS : 9mm



From intimate 600x1200mm spaces to grand 1200x1800mm statements, premium tiles transform every dimension into a canvas of timeless elegance and contemporary sophistication.



## ESSENCE *of* BRILLIANCE

has been redefining the world of tiles with a commitment to craftsmanship, innovation, and timeless design. For years, we have combined advanced technology with artistic inspiration to create surfaces that bring beauty and durability to every space. Our collections are carefully curated to meet the diverse needs of architects, designers, and homeowners, offering a seamless balance between style and functionality.



Driven by a passion for excellence, delivers products that embody strength, elegance, and sustainability. Each tile is crafted to the highest standards, ensuring long-lasting performance while elevating interiors and exteriors alike. From contemporary finishes to classic patterns, our range reflects the versatility and creativity that define modern living.

we believe tiles are more than just surfaces they are the foundation of spaces where stories unfold. Our mission is to inspire creativity and transform environments with designs that are as enduring as they are exquisite.

850+ Designs.  
10+ Surfaces.

Where brilliance meets substance, deliver both stunning visual impact and enduring performance that transforms architectural dreams into magnificent reality.

# ADVANTAGES & FEATURES

-  EASY TO CLEAN
-  WATER RESISTANT
-  RESISTANT TO STAINS
-  RESISTANT TO ICE & FROST
-  UNALTERABLE TO UV RAYS
-  100% NATURAL & RECYCLABLE
-  DIMENSIONAL STABILITY
-  COLOR STABILITY
-  SCRATCH & IMPACT RESISTANT

## FIRE RESISTANT

Our premium tiles provide exceptional fire protection for your spaces. Engineered with advanced heat-resistant materials, they withstand extreme temperatures without compromising integrity, ensuring safety and peace of mind. Your home deserves this superior protection and durability standard.




# APPLICATION

-  RESIDENTIAL
-  COMMERCIAL BUILDING
-  HOTEL, CAFÉ & RESTURANT
-  HOSPITAL
-  AIRPORT
-  SCHOOL & COLLEGE
-  SPA & WELLNESS CENTRES
-  GYMNASIUM
-  HALL & CORRIDOR
-  SUPER MARKET & MALL

premium tiles excel across residential elegance, commercial grandeur, hospitality luxury, healthcare precision, educational excellence, wellness sanctuaries, fitness facilities, retail sophistication, and public spaces delivering unmatched performance, natural sustainability, and effortless maintenance.


## WATER RESISTANT

Experience worry-free living with our water-resistant tiles that repel moisture effortlessly. Perfect for bathrooms, kitchens, and high-humidity areas, they prevent water damage and mold growth while maintaining their stunning appearance. Protection meets beauty in every square inch.



## HYGIENIC SURFACE

Hygienic tile surfaces are smooth, non-porous, and easy to clean, making them ideal for maintaining cleanliness in homes and workplaces. They resist dirt, stains, and bacteria, helping to keep spaces like kitchens, bathrooms, and hospitals safe and healthy.





TAP TO EXPLORE  
EACH PRODUCT



AFION  
GOLD END



ATRIX  
CREMA END



ATRIX  
WHITE END



BUTTERCOTCH  
BEIGE END



CAROLINA  
WHITE END



FRAGMENT  
PEARL END



FRECKLE  
AQUA END



FRECKLE  
SILVER END



MINTANIC  
WHITE END



MONRESA  
GREY END



ONICE  
BEIGE END



ONICE  
WHITE END



PICASO  
GREEN END



TRAVEN  
CREMA



TRAVERTINO  
LUX



VIENA  
BEIGE END



VIENA  
BIANCO END

**AFION**  
**GOLD END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet

**Velvet**  
Collection

**ATRIX**  
**CREMA END**



Size :  
800x1600mm

Finish :  
Velvet

**ATRIX**  
**WHITE END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet

**BUTTERCOTCH**  
**BEIGE END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet



**CAROLINA  
WHITE END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet

**Velvet**  
Collection

**FRAGMENT**  
**PEARL END**



Size :  
800x1600mm

Finish :  
Velvet

**FRECKLE  
AQUA END**

**Velvet**  
Collection




Size :  
800x1600mm

Finish :  
Velvet

**FRECKLE  
SILVER END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet



**MINTANIC  
WHITE END**

**Velvet**  
Collection




Size :  
800x1600mm

Finish :  
Velvet

**Velvet**  
Collection

**MONRESA**  
**GREY END**



Size :  
800x1600mm

Finish :  
Velvet

**ONICE  
BEIGE END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet

**ONICE  
WHITE END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet





Size :  
800x1600mm

Finish :  
Velvet

**Velvet**  
Collection

**TRAVEN  
CREMA**



Size :  
800x1600mm

Finish :  
Velvet

**TRAVERTINO  
LUX**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet

**VIENA  
BEIGE END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet



**VIENA**  
**BIANCO END**

**Velvet**  
Collection



Size :  
800x1600mm

Finish :  
Velvet

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15



## PACKING DETAILS

Size	Tiles / Box	Coverage Area / Box (approx.)	Coverage Area / Box (approx.)
80x160cm	2 pcs	2.56 Sq. m.	27.55 Sq. ft.

NOTE : Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.